Author Index of Volume 148

Abram, S., 141
Abram, U., 141
Afonitchev, D. D., 135
Allan, J. R., 85
Ambrose, C., 97
Amma, E. L., 203
Angaroni, M. A., 113
Antolini, M. A., 1
Ardizzoia, G. A., 113

Babar, M. A., 25
Baker, P. K., 247
Barrow, M. J., 85
Basato, M., 105
Beaumont, P. C., 85
Beisheng Kang, 147
Beyer, R., 141
Bill, E., 11
Birse, E. F., 45, 57, 63
Bögge, H., 11
Bothwell, M. E., 123
Burger, K., 223
Burriesci, N., 191

Cariati, F., 113, 191
Casellato, U., 159
Cecchetti, W., 151
Cenini, S., 113
Chniber, T., 227
Colton, R., 31
Corain, B., 105
Cox, M. A., 45

Dakternieks, D., 31
Daxu Wu, 147
Delpuech, J.-J., 227
Dugad, L. B., 17
Duisenberg, A. J. M., 71

Fang Wang, 147
Fantucci, P., 191
Faraglia, G., 159
Farina, S. G., 97
Fenton, R. R., 37
Ferri, D., 133
Findeisen, M., 141
Fitzsimmons, B. W., 25
Foise, J. W., 265
Fraser, S. G., 247
Frison, G., 151
Fronczek, F. R., 177, 273

Geanangel, R. A., 185
Giancola, C., 3
Glaser, J., 133
Goodgame, D. M. L., 5
Góral, J., 169
Gray, G. M., 215
Graziani, R., 159
Grenthe, I., 133
Griffith, E. A. H., 203
Gupta, S. K., 255

Hanqin Liu, 147
Harris, J. E., 123
Hashimoto, M., 7, 143
Hayashida, Y., 143
Heyward, M. P., 241
Hildebrand, A., 11
Hoggard, P. E., 97
House, D. A., 209
Hsu-kun Wang, 261
Hui-ying Li, 203

Isola, M., 3

Jin-shan Li, 261

Kaden, L., 141
Kahwa, I. A., 265, 273
Kato, Y., 169
Kazakov, V. P., 135
Khamidullina, L. A., 135
Khandelwal, B. L., 255
Kim, Min H., 1
Knausz, D., 223
Kundu, K., 255

La Monica, G., 113
Larkworthy, L. F., 25
Liangren Huang, 147
Linghong Weng, 147
Ling-jun Bai, 261
Lorenz, B., 141

Macindoe, L. A., 85
McPherson, G. L., 265
Massoud, S. S., 233
Mathur, P., 119
Mazumdar, S., 17
Mebrahtu, T., 123
Micera, G., 191
Milburn, G. H. W., 85
Milburn, R. M., 233
Mitra, S., 17
Mok, K. F., 209
Muenze, R., 141
Müller, A., 11

Nakahara, S., 21
Nakamoto, K., 169
Nakon, R., 1
Nemes-Vetéssy, Zs., 223
Nicholson, B. K., 101

O'Connor, C. J., 265
Okoroafor, N. O., 91
Onaka, S., 169

Paolucci, G., 151
Parker, D., 251
Penk, M., 11
Petrera, M., 191
Polloni, R., 151
Popov, A. I., 91
Powell, R. D., 15
Proniewicz, L. M., 169

Rodehüser, L., 227
Rodriguez, J. F., 123
Roy, P. S., 251
Rubini, P., 227
Rykova, V. V., 135

Saito, Y., 21
Sakata, K., 7, 143
Scanagatta, E., 105
Schuerman, J. A., 177
Selbin, J., 177, 265, 273
Senatore, L., 3
Shedbalkar, V. P., 17
Sitran, S., 105
Skapski, A. C., 15
Slawin, A. M. Z., 5
Snowden, M. J., 247
Soriaga, M. P., 123
Spek, A. L., 71
Stephens, F. S., 45, 63
Suba, M., 223

Tannenbaum, R., 199
Teo, B. K., 21
Thimmappa, B. H. S., 119
Thomson, R. A., 101

© Elsevier Sequoia/Printed in Switzerland

Traldi, P., 151
Trautwein, A., 11

Vagg, R. S., 37, 45, 57, 63
Valenti, V., 191
Valle, G., 105
van Koten, G., 71
Varshney, A., 215
Veronese, A. C., 105
Vértes, A., 223
Volponi, L., 159
Vrieze, K., 71

Wada, S., 7
Wang, J. S., 185
Watts, F. D., 101
Wells, C. F., 241
Werninck, A. R., 85
Williams, D. J., 5
Williams, P. A., 37, 45, 57, 63

Yong-sheng Chen, 261
Yuey, W., 97

Zard, P. W., 5
Zhi Guo, 147
Zoet, R., 71

Subject Index of Volume 148

Alkoxo complexes
  oxidation reaction of Cu(I) phenoxo complex [(phen)(Ph_3P)Cu(OPh)]; formation of Cu(II) derivative [(phen)Cu(OPh)(OC_6H_4-2-(OH)], having catecholate group derived from phenol hydroxylation reaction, 113
Alkyne complexes
  crystal structure of 1,4-bis(4-pyridyl)butadiyne and study of its complexes with Co(II), Ni(II) and Cu(II), 85
Amine complexes
  Co(III) complexes with racemic polyamine ligands; isomers formed using 5,5,7(*R,S*),12,12,14(*R,S*)-hexamethyl-1,4,8,11-tetraazacyclotetradecane (tet*b*), 209
  crystal and molecular structure of bis(2,2′-dipyridylamine-*N,N′*)di(nitrato-*O*)Cd(II); solid state ^{113}Cd NMR, components and orientation of chemical shift tensor relative to donor ligands, 203
  kinetics of oxidation of bromide ions by bis(2,2′-bipyridine)Mn(III) ions in aqueous perchlorate media, 241
  study on adducts of bis(8-quinolinato)oxovanadium(IV) with substituted pyridines by IR spectroscopy, 3
  synthesis
    and characterization of triaminecobalt(III) complexes and acid hydrolysis kinetics of *fac*-[Codpt(H_2O)$_n$$X_{3-n}$]$^{n+}$ (X = Cl, Br; n = 0, 1, 2), 233
    of some mixed seven-coordinate complexes of type [$MI_2(CO)_3LL'$] (M = Mo or W; L = pyridine or substituted pyridines; L′ = PPh_3, $AsPh_3$ or $SbPh_3$), 247
Amino acid complexes
  aminoacidate dechelation upon imidazole proton ionization in mixed ligand metal chelate, *N*-carboxymethyl-L-histidinatovalinatocopper-(II), 1
  crystallographic study of stereoselective hydrogenation of 1,2-dehydroproline coordinated to Co(III), 63
Ammonia complexes
  ^{11}B NMR studies of thermal decomposition of ammonia–borane in solution, 185
Aqua complexes
  synthesis and characterization of triaminecobalt-(III) complexes and acid hydrolysis kinetics of *fac*-[Codpt(H_2O)$_n$$X_{3-n}$]$^{n+}$ (X = Cl, Br; n = 0, 1, 2), 233
Bidentate ligand complexes
  coordination chemistry of β-ketoamides; synthesis of Cu(II) complexes, X-ray structure of bis-(1-*N*-benzylamino-1,3-butanedionate)Cu(II) and nucleophilic behavior of metal–β-carbonyl-enolate ring toward cyanogen and benzoyl cyanide, 105
  crystal structure of chloropentakis(pyrimidine-2-thionato)diplatinum(III); dinuclear Pt(III) complex obtained from Pt(IV) precursor, 5
  dirhodium(II,II) tetra-acetate complexes with S donors; crystal structure of [$Rh_2(O_2CMe)_4$-$(L)_2$] (L = *N,N*-dimethylthioformamide or *N,N*-dimethyl *O*-ethylthiocarbamate), 159
  kinetics of oxidation of bromide ions by bis(2,2′-bipyridine)Mn(III) ions in aqueous perchlorate media, 241
  mixed ligand complexes containing β-diphosphoramides; substitution of DMSO by NIPA in solvates of Cd(II); ^{113}Cd NMR study, 227
  photoproducts from photolysis of tris(bipyridine)-Ru(II) chloride in dimethylformamide, 97
  preparation
    and multinuclear NMR and IR spectroscopic characterization of some complexes of acetyldiphenylphosphine, diphenyl(2-thienyl)phosphine, bis(2-thienyl)phenylphosphine and cyanodiphenylphosphine, 215
    and structure of tris[bis(pyrazolyl)borate]-In(III), 101
  [Tc(dppe)$_2$(R-NC)$_2$]$^+$ complexes (dppe = bis-(diphenylphosphino)ethane; R = tert. butyl, cyclohexyl), 141
Binuclear complexes
  crystal structure of chloropentakis(pyrimidine-2-thionato)diplatinum(III); dinuclear Pt(III) complex obtained from Pt(IV) precursor, 5
Borane complexes
  ^{11}B NMR studies of thermal decomposition of ammonia–borane in solution, 185
Boron complexes
  ^{11}B NMR studies of thermal decomposition of ammonia–borane in solution, 185

Cadmium complexes
  crystal and molecular structure of bis(2,2′-dipyridylamine-*N,N′*)di(nitrato-*O*)Cd(II); solid state ^{113}Cd NMR, components and orientation of chemical shift tensor relative to donor ligands, 203

© Elsevier Sequoia/Printed in Switzerland

mixed ligand complexes containing β-diphosphoramides; substitution of DMSO by NIPA in solvates of Cd(II); ^{113}Cd NMR study, 227
Carbonate complexes
confirmation of structure of $(UO_2)_3(CO_3)_6^{6-}$ by ^{17}O NMR, 133
Carbonyl complexes
reactivity of tricarbonyl(η^5-cyclopentadienyl)(dimethyldithiocarbamato)W towards coordinatively unsaturated species, 119
synthesis of some mixed seven-coordinate complexes of type $[MI_2(CO)_3LL']$ (M = Mo or W; L = pyridine or substituted pyridines; L′ = PPh_3, $AsPh_3$ or $SbPh_3$), 247
synthesis and characterization
of some Ru(II) complexes containing CO and isocyanide groups, 199
of two isomers of $Os_3(CO)_{10}(C_5H_4N$-2-C(H)=N–R) and conversion to *ortho*-metallated $HOs_3(C_5H_3N$-2-C(H)=N–R)$(CO)_9$; X-ray structure of $HOs_3(C_5H_3N$-2-C(H)=N–i-Pr)$(CO)_9$, 71
Carboxylic acid complexes
stereoselectivity in synthesis and reactions of coordinated aminomalonic acid derivatives, 45
Chelate complexes
autoxidation of thiols catalysed by tetraaza[14]annulene–Co(II) complex, 7
coordination chemistry of β-ketoamides; synthesis of Cu(II) complexes, X-ray structure of bis(1-*N*-benzylamino-1,3-butanedionate)Cu(II) and nucleophilic behavior of metal–β-carbonyl-enolate ring toward cyanogen and benzoyl cyanide, 105
kinetics of oxidation of bromide ions by bis(2,2′-bipyridine)Mn(III) ions in aqueous perchlorate media, 241
laser induced vaporization mass spectrometry of high melting multidentate chelating ligand and its Ni(II) bisdeprotonated complex, 151
metal complexes of new stereospecific tetraamine ligand 3*R*,4*R*- and 3*S*,4*S*-diphenyl-1,6-di(2-pyridyl)-2,5-diazahexane, 37
mixed ligand complexes containing β-diphosphoramides; substitution of DMSO by NIPA in solvates of Cd(II); ^{113}Cd NMR study, 227
photoproducts from photolysis of tris(bipyridine)-Ru(II) chloride in dimethylformamide, 97
preparation and structure of tris[bis(pyrazolyl)-borate]In(III), 101
stereoselective synthesis of proline, 57
$[Tc(dppe)_2(R\text{-}NC)_2]^+$ complexes (dppe = bis(diphenylphosphino)ethane; R = tert. butyl, cyclohexyl), 141
Chemiluminescence
of Tb(IV) reduction in solution and sensitization thereof with UO_2^{2+} ions, 135
Chirality
stereoselective synthesis of proline, 57
stereoselectivity in synthesis and reactions of coordinated aminomalonic acid derivatives, 45
Chromium complexes
complexes of Cr(II) and Fe(II) with hexamethylphosphoramide, 25
Cluster complexes
crystal and molecular structures of tetranuclear metal clusters of Cu(I) trithioperoxybenzoates, 177
Cobalt complexes
autoxidation of thiols catalysed by tetraaza[14]annulene–Co(II) complex, 7
Co(III) complexes with racemic polyamine ligands; isomers formed using 5,5,7(*R*,*S*),12,12,14(*R*,*S*)-hexamethyl-1,4,8,11-tetraazacyclotetradecane (tet*b*), 209
crystallographic study of stereoselective hydrogenation of 1,2-dehydroproline coordinated to Co(III), 63
trans-effect in monomeric dioxygen adduct of dipyrido[14]annulene–Co(II) complex, 143
metal complexes of new stereospecific tetraamine ligand 3*R*,4*R*- and 3*S*,4*S*-diphenyl-1,6-di(2-pyridyl)-2,5-diazahexane, 37
stereoselective synthesis of proline, 57
stereoselectivity in synthesis and reactions of coordinated aminomalonic derivatives, 45
synthesis and characterization of triaminecobalt(III) complexes and acid hydrolysis kinetics of *fac*-$[Codpt(H_2O)_nX_{3-n}]^{n+}$ (X = Cl, Br; n = 0, 1, 2), 233
Colloids
production of ultrafine Au and Ag particles by means of gas evaporation and solvent trap technique, 21
Copper complexes
aminoacidate dechelation upon imidazole proton ionization in mixed ligand metal chelate, *N*-carboxymethyl-L-histidinatovalinatocopper(II), 1
coordination chemistry of β-ketoamides; synthesis of Cu(II) complexes, X-ray structure of bis(1-*N*-benzylamino-1,3-butanedionate)Cu(II) and nucleophilic behavior of metal–β-carbonyl-enolate ring toward cyanogen and benzoyl cyanide, 105
crystal and molecular structures of tetranuclear metal clusters of Cu(I) trithioperoxybenzoates, 177
oxidation reaction of Cu(I) phenoxo complex [(phen)(Ph_3P)Cu(OPh)]; formation of Cu(II) derivative [(phen)Cu(OPh)$(OC_6H_4$-2-(OH)], having catecholate group derived from phenol hydroxylation reaction, 113
some TCNQ simple and complex salts of Ni and Cu macrocyclic complexes, 261

Crystal structure(s)
of bis(1-*N*-benzylamino-1,3-butanedionate)Cu(II), 105
of bis(2,2′-dipyridylamine-*N*,*N*′)di(nitrato-*O*)-Cd(II), 203
of 1,4-bis(4-pyridyl)butadiyne, 85
of chloropentakis(pyrimidine-2-thionato)-diplatinum(III), 5
of coordinated aminomalonic derivatives, 45
of 1,2-dehydroproline coordinated to Co(III), 63
of $(Et_4N)_2[Fe_2(1,2\text{-}OSC_6H_4)_4]\cdot 2CH_3CN$, 147
of $[Fe_2S_2(MoS_4)_2]^{4-}$, 11
of $HOs_3(C_5H_3N\text{-}2\text{-}C(H)=N\text{–}i\text{-}Pr)(CO)_9$, 71
of open mononuclear 3:1 Schiff's base complexes of Pr(III) and Nd(III), 273
of peroxodiphosphate ion $[P_2O_8]^{4-}$ in $\{Na_2(H_2O)_9\}_2[P_2O_8]$, 15
of $[Rh_2(O_2CMe)_4(L)_2]$ (L = *N*,*N*-dimethylthioformamide or *N*,*N*-dimethyl *O*-ethylthiocarbamate), 159
of tetranuclear metal clusters of Cu(I) trithioperoxybenzoates, 177
of tris[bis(pyrazolyl)borate]In(III), 101
Cyclopentadienyl complexes
reactivity of tricarbonyl(η^5-cyclopentadienyl)-(dimethyldithiocarbamato)W towards coordinatively unsaturated species, 119

Dinuclear complexes
dirhodium(II,II) tetra-acetate complexes with S donors; crystal structure of $[Rh_2(O_2CMe)_4(L)_2]$ (L = *N*,*N*-dimethylthioformamide or *N*,*N*-dimethyl *O*-ethylthiocarbamate), 159
$[Fe_2S_2(MoS_4)_2]^{4-}$; first complex with two MoS_4^{2-} ions coordinated to ferredoxin type central unit, 11
magnetic and luminescence characteristics of dinuclear complexes of lanthanides and phenolic Schiff base macrocyclic ligand, 265
synthesis, structure and spectroscopy of new dinuclear Fe–S compound $(Et_4N)_2[Fe_2(1,2\text{-}OSC_6H_4)_4]\cdot 2CH_3CN$, 147
Dithiocarbamato complexes
reactivity of tricarbonyl(η^5-cyclopentadienyl)-(dimethyldithiocarbamato)W towards coordinatively unsaturated species, 119

Electrochemistry
surface coordination chemistry of noble-metal electrocatalysts; oxidative addition and reductive elimination of iodide at Ir, Pt and Au in aqueous solutions, 123
Electronic structure(s)
and Mössbauer spectra of Fe(II)–phthalocyanine complexes as studied by semiempirical MO–LCAO calculations, 191
of synthetic Fe(III) porphyrins in pyridine and pyridine–water solutions, 17

Glass compounds
influence of nature of solute and carrier surface on Mössbauer effect in aqueous solutions trapped in silicate carrier, 223
Gold colloids
production of ultrafine Au and Ag particles by means of gas evaporation and solvent trap technique, 21

Hydride complexes
synthesis and characterization of two isomers of $Os_3(CO)_{10}(C_5H_4N\text{-}2\text{-}C(H)=N\text{–}R)$ and conversion to *ortho*-metallated $HOs_3(C_5H_3N\text{-}2\text{-}C(H)=N\text{–}R)(CO)_9$; X-ray structure of $HOs_3(C_5H_3N\text{-}2\text{-}C(H)=N\text{–}i\text{-}Pr)(CO)_9$, 71
Hydrogenation
crystallographic study of stereoselective hydrogenation of 1,2-dehydroproline coordinated to Co(III), 63
Hydrolysis
partial hydrolysis of homodinuclear macrocyclic complexes of lanthanides with 2:2 phenolic Schiff's base and crystal and molecular structure of resulting open mononuclear 3:1 Schiff's base complexes of Pr(III) and Nd(III), 273
synthesis and characterization of triaminecobalt-(III) complexes and acid hydrolysis kinetics of *fac*-$[Codpt(H_2O)_nX_{3-n}]^{n+}$ (X = Cl, Br; n = 0, 1, 2), 233

Imine complexes
synthesis and characterization of two isomers of $Os_3(CO)_{10}(C_5H_4N\text{-}2\text{-}C(H)=N\text{–}R)$ and conversion to *ortho*-metallated $HOs_3(C_5H_3N\text{-}2\text{-}C(H)=N\text{–}R)(CO)_9$; X-ray structure of $HOs_3(C_5H_3N\text{-}2\text{-}C(H)=N\text{–}i\text{-}Pr)(CO)_9$, 71
Indium complexes
preparation and structure of tris[bis(pyrazolyl)-borate]In(III), 101
resonance Raman and far-infrared spectra of metalloporphyrins containing In–M bonds, 169
Iodide complexes
surface coordination chemistry of noble-metal electrocatalysts; oxidative addition and reductive elimination of iodide at Ir, Pt and Au in aqueous solutions, 123
Iron complexes
complexes of Cr(II) and Fe(II) with hexamethylphosphoramide, 25
electronic structure
and Mössbauer spectra of Fe(II)–phthalocyanine complexes as studied by semiempirical MO–LCAO calculations, 191
of synthetic Fe(III) porphyrins in pyridine and pyridine–water solutions; proton magnetic resonance study, 17

$[Fe_2S_2(MoS_4)_2]^{4-}$; first complex with two MoS_4^{2-} ions coordinated to ferredoxin type central unit, 11
synthesis, structure and spectroscopy of new dinuclear Fe–S compound $(Et_4N)_2[Fe_2(1,2\text{-}OSC_6H_4)_4]\cdot 2CH_3CN$, 147
Isocyanide complexes
synthesis and characterization of some Ru(II) complexes containing CO and isocyanide groups, 199
$[Tc(dppe)_2(R\text{-}NC)_2]^+$ complexes (dppe = bis-(diphenylphosphino)ethane; R = tert. butyl, cyclohexyl), 141

Kinetics and mechanism
mixed ligand complexes containing β-diphosphoramides; substitution of DMSO by NIPA in solvates of Cd(II); ^{113}Cd NMR study, 227
of oxidation of bromide ions by bis(2,2′-bipyridine)Mn(III) ions in aqueous perchlorate media, 241
synthesis and characterization of triaminecobalt-(III) complexes and acid hydrolysis kinetics of *fac*-$[Codpt(H_2O)_nX_{3-n}]^{n+}$ (X = Cl, Br; n = 0, 1, 2), 233

Lanthanide complexes
magnetic and luminescence characteristics of dinuclear complexes of lanthanides and phenolic Schiff base macrocyclic ligand, 265
Luminescence
magnetic and luminescence characteristics of dinuclear complexes of lanthanides and phenolic Schiff base macrocyclic ligand, 265

Macrocyclic ligand complexes
autoxidation of thiols catalysed by tetraaza[14]-annulene–Co(II) complex, 7
some multinuclear NMR studies of macrocyclic effect, 91
partial hydrolysis of homodinuclear macrocyclic complexes of lanthanides with 2:2 phenolic Schiff's base and crystal and molecular structure of resulting open mononuclear 3:1 Schiff's base complexes of Pr(III) and Nd(III), 273
solution behaviour of monooxorhenium(V) complex of 1,4,8,11-tetraazacyclotetradecane, 251
some TCNQ simple and complex salts of Ni and Cu macrocyclic complexes, 261
Magnetism
magnetic and luminescence characteristics of dinuclear complexes of lanthanides and phenolic Schiff base macrocyclic ligand, 265
Manganese complexes
kinetics of oxidation of bromide ions by bis(2,2′-bipyridine)Mn(III) ions in aqueous perchlorate media, 241
Mass spectrometry
laser induced vaporization mass spectrometry of high melting multidentate chelating ligand and its Ni(II) bisdeprotonated complex, 151
Metal complexes
crystal structure of 1,4-bis(4-pyridyl)butadiyne and study of its complexes with Co(II), Ni(II) and Cu(II), 85
some multinuclear NMR studies of macrocyclic effect, 91
resonance Raman and far-infrared spectra of metalloporphyrins containing In–M bonds, 169
surface coordination chemistry of noble-metal electrocatalysts; oxidative addition and reductive elimination of iodide at Ir, Pt and Au in aqueous solutions, 123
Metalloenzyme complexes
aminoacidate dechelation upon imidazole proton ionization in mixed ligand metal chelate, *N*-carboxymethyl-L-histidinatovalinatocopper(II), 1
Metalloporphyrin complexes
resonance Raman and far-infrared spectra of metalloporphyrins containing In–M bonds, 169
Molybdenum complexes
$[Fe_2S_2(MoS_4)_2]^{4-}$; first complex with two MoS_4^{2-} ions coordinated to ferredoxin type central unit, 11
preparation and multinuclear NMR and IR spectroscopic characterization of some complexes of acetyldiphenylphosphine, diphenyl-(2-thienyl)phosphine, bis(2-thienyl)phenyl-phosphine and cyanodiphenylphosphine, 215
synthesis of some mixed seven-coordinate complexes of type $[MI_2(CO)_3LL']$ (M = Mo or W; L = pyridine or substituted pyridines; L′ = PPh_3, $AsPh_3$ or $SbPh_3$), 247
Mössbauer spectroscopy
influence of nature of solute and carrier surface on Mössbauer effect in aqueous solutions trapped in silicate carrier, 223
Multidentate ligand complexes
laser induced vaporization mass spectrometry of high melting multidentate chelating ligand and its Ni(II) bisdeprotonated complex, 151

Neodymium complexes
partial hydrolysis of homodinuclear macrocyclic complexes of lanthanides with 2:2 phenolic Schiff's base and crystal and molecular structure of resulting open mononuclear 3:1 Schiff's base complexes of Pr(III) and Nd(III), 273
Nickel complexes
laser induced vaporization mass spectrometry of high melting multidentate chelating ligand and its Ni(II) bisdeprotonated complex, 151
some TCNQ simple and complex salts of Ni and Cu macrocyclic complexes, 261

Organotin complexes
^{119}Sn NMR studies on diorganoyltin(IV)dihalides and triorganoyltin(IV)halides; formation and stereochemistry of adducts, 31
Osmium complexes
synthesis and characterization of two isomers of $Os_3(CO)_{10}(C_5H_4N\text{-}2\text{-}C(H)=N\text{–}R)$ and conversion to *ortho*-metallated $HOs_3(C_5H_3N\text{-}2\text{-}C(H)=N\text{–}R)(CO)_9$; X-ray structure of $HOs_3(C_5H_3N\text{-}2\text{-}C(H)=N\text{–}i\text{-}Pr)(CO)_9$, 71
Oxidative addition
surface coordination chemistry of noble-metal electrocatalysts; oxidative addition and reductive elimination of iodide at Ir, Pt and Au in aqueous solutions, 123
Oxo complexes
solution behaviour of monooxorhenium(V) complex of 1,4,8,11-tetraazacyclotetradecane, 251
study on adducts of bis(8-quinolinato)oxovanadium(IV) with substituted pyridines by IR spectroscopy, 3
Oxygen complexes
trans-effect in monomeric dioxygen adduct of dipyrido[14]annulene–Co(II) complex, 143
Oxygen NMR
confirmation of structure of $(UO_2)(CO_3)_6^{6-}$ by ^{17}O NMR, 133

Palladium complexes
preparation and multinuclear NMR and IR spectroscopic characterization of some complexes of acetyldiphenylphosphine, diphenyl-(2-thienyl)phosphine, bis(2-thienyl)phenylphosphine and cyanodiphenylphosphine, 215
Peroxo compounds
X-ray structure of peroxodiphosphate ion $[P_2O_8]^{4-}$ in $\{Na_2(H_2O)_9\}_2[P_2O_8]$, 15
Phosphate compounds
X-ray structure of peroxodiphosphate ion $[P_2O_8]^{4-}$ in $\{Na_2(H_2O)_9\}_2[P_2O_8]$, 15
Phosphorus ligand complexes
complexes of Cr(II) and Fe(II) with hexamethylphosphoramide, 25
Photolysis
photoproducts from photolysis of tris(bipyridine)-Ru(II) chloride in dimethylformamide, 97
Phthalocyanine complexes
electronic structure and Mössbauer spectra of Fe(II)–phthalocyanine complexes as studied by semiempirical MO–LCAO calculations, 191
Platinum complexes
crystal structure of chloropentakis(pyrimidine-2-thionato)diplatinum(III); dinuclear Pt(III) complex obtained from Pt(IV) precursor, 5
preparation and multinuclear NMR and IR spectroscopic characterization of some complexes of acetyldiphenylphosphine, diphenyl-(2-thienyl)phosphine, bis(2-thienyl)phenylphosphine and cyanodiphenylphosphine, 215
Pt(II) complexes with aryl tellurols and diaryl ditellurides; syntheses and spectral investigations, 255
Polydentate ligand complexes
Co(III) complexes with racemic polyamine ligands; isomers formed using 5,5,7(*R,S*),12,12,14(*R,S*)-hexamethyl-1,4,8,11-tetraazacyclotetradecane (tet*b*), 209
crystal and molecular structures of tetranuclear metal clusters of Cu(I) trithioperoxybenzoates, 177
metal complexes of new stereospecific tetraamine ligand 3*R*,4*R*- and 3*S*,4*S*-diphenyl-1,6-di(2-pyridyl)-2,5-diazahexane, 37
stereoselective synthesis of proline, 57
synthesis and characterization of triaminecobalt-(III) complexes and acid hydrolysis kinetics of *fac*-$[Codpt(H_2O)_nX_{3-n}]^{n+}$ (X = Cl, Br; n = 0, 1, 2), 233
Porphyrin complexes
electronic structure of synthetic Fe(III) porphyrins in pyridine and pyridine–water solutions; proton magnetic resonance study, 17
resonance Raman and far-infrared spectra of metalloporphyrins containing In–M bonds, 169
Praseodymium complexes
partial hydrolysis of homodinuclear macrocyclic complexes of lanthanides with 2:2 phenolic Schiff's base and crystal and molecular structure of resulting open mononuclear 3:1 Schiff's base complexes of Pr(III) and Nd(III), 273

Reductive elimination
surface coordination chemistry of noble-metal electrocatalysts; oxidative addition and reductive elimination of iodide at Ir, Pt and Au in aqueous solutions, 123
Rhenium complexes
solution behaviour of monooxorhenium(V) complex of 1,4,8,11-tetraazacyclotetradecane, 251
Rhodium complexes
dirhodium(II,II) tetra-acetate complexes with S donors; crystal structure of $[Rh_2(O_2CMe)_4(L)_2]$ (L = *N,N*-dimethylthioformamide or *N,N*-dimethyl *O*-ethylthiocarbamate), 159
Ruthenium complexes
photoproducts from photolysis of tris(bipyridine)-Ru(II) chloride in dimethylformamide, 97
synthesis and characterization of some Ru(II) complexes containing CO and isocyanide groups, 199

Schiff base complexes
magnetic and luminescence characteristics of dinuclear complexes of lanthanides and phenolic Schiff base macrocyclic ligand, 265

partial hydrolysis of homodinuclear macrocyclic complexes of lanthanides with 2:2 phenolic Schiff's base and crystal and molecular structure of resulting open mononuclear 3:1 Schiff's base complexes of Pr(III) and Nd(III), 273
Silicate compounds
influence of nature of solute and carrier surface on Mössbauer effect in aqueous solutions trapped in silicate carrier, 223
Silver colloids
production of ultrafine Au and Ag particles by means of gas evaporation and solvent trap technique, 21
Sulfur complexes
$[Fe_2S_2(MoS_4)_2]^{4-}$; first complex with two MoS_4^{2-} ions coordinated to ferredoxin type central unit, 11
synthesis, structure and spectroscopy of new dinuclear Fe–S compound $(Et_4N)_2[Fe_2(1,2\text{-}OSC_6H_4)_4]\cdot 2CH_3CN$, 147

Technetium complexes
$[Tc(dppe)_2(R\text{-}NC)_2]^+$ complexes (dppe = bis-(diphenylphosphino)ethane; R = tert. butyl, cyclohexyl), 141
Tellurium complexes
Pt(II) complexes with aryl tellurols and diaryl ditellurides; syntheses and spectral investigations, 255
Terbium complexes
chemiluminescence of Tb(IV) reduction in solution and sensitization thereof with UO_2^{2+} ions, 135
Thermodynamics
some multinuclear NMR studies of macrocyclic effect, 91
Tin complexes
^{119}Sn NMR studies on diorganoyltin(IV)dihalides and triorganoyltin(IV)halides; formation and stereochemistry of adducts, 31
Tin compounds
influence of nature of solute and carrier surface on Mössbauer effect in aqueous solutions trapped in silicate carrier, 223
Trinuclear complexes
synthesis and characterization of two isomers of $Os_3(CO)_{10}(C_5H_4N\text{-}2\text{-}C(H)=N\text{–}R)$ and conversion to *ortho*-metallated $HOs_3(C_5H_3N\text{-}2\text{-}C(H)=N\text{–}R)(CO)_9$; X-ray structure of $HOs_3(C_5H_3N\text{-}2\text{-}C(H)=N\text{–}i\text{-}Pr)(CO)_9$, 71
Tungsten complexes
reactivity of tricarbonyl(η^5-cyclopentadienyl)-(dimethyldithiocarbamato)W towards coordinatively unsaturated species, 119
synthesis of some mixed seven-coordinate complexes of type $[MI_2(CO)_3LL']$ (M = Mo or W; L = pyridine or substituted pyridines; L' = PPh_3, $AsPh_3$ or $SbPh_3$), 247

Uranyl complexes
chemiluminescence of Tb(IV) reduction in solution and sensitization thereof with UO_2^{2+} ions, 135
confirmation of structure of $(UO_2)_3(CO_3)_6^{6-}$ by ^{17}O NMR, 133

Vanadium complexes
study on adducts of bis(8-quinolinato)oxo-vanadium(IV) with substituted pyridines by IR spectroscopy, 3

CONTENTS *(continued)*

Partial hydrolysis of homodinuclear macrocyclic complexes of lanthanides with a 2:2 phenolic Schiff's base and the crystal and molecular structure of resulting open mononuclear 3:1 Schiff's base complexes of praseodymium(III) and neodymium(III). 273
I. A. Kahwa, F. R. Fronczek and J. Selbin (Baton Rouge, La., U.S.A.)

Author Index 283

Subject Index 285